

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

1. (Currently Amended) Packaging container comprising a first portion formed of a first material or material combination, a second portion formed of a second material or material combination different from the first material or material combination, ~~and a pouring opening formed in said first portion~~ including a free edge defining a pouring opening, wherein the first portion is further provided with a tearing line extending essentially from the pouring opening towards an interface between the first portion and the second portion and essentially along an entirety of said interface.

2. (Previously Presented) Packaging container according to claim 1, wherein the first portion of the container is generally formed of a plastic material.

3. (Previously Presented) Packaging container according to claim 1, wherein the second portion of the container is generally formed of fibre based packaging laminate.

4. (Previously Presented) Packaging container according to claim 1, wherein the tear line is defined by a weakening line extending essentially from the pouring opening towards the interface between the first portion and the second portion and essentially along the complete extension of said interface.

5. (Previously Presented) Packaging container according to claim 1, wherein the first portion of the container is formed by injection moulding of a plastic material into a mould.

6. (Previously Presented) Packaging container according to claim 4, wherein the weakening line is a portion of smaller wall thickness than surrounding portions, with an inferior wall thickness being formed by a groove on the outside of the first portion.

7. (Previously Presented) Packaging container according to claim 4, wherein the weakening line is a portion of smaller wall thickness than surrounding portions, with an inferior wall thickness being formed along the portion of the weakening line extending from the pouring opening to the interface by a groove on the inside of the first portion, and along the interface by a groove on the outside of the first portion.

8. (Previously Presented) Packaging container according to claim 1 wherein the pouring opening is shaped such that a pull tab is formed on either side of the point where the tear line intersect the edge of the pouring opening.

9. (Canceled)

10. (Canceled)

11. (Previously Presented) Packaging container according to claim 2, wherein the second portion of the container is generally formed of fibre based packaging laminate.

12. (Previously Presented) Packaging container according to claim 2, wherein the tear line is defined by a weakening line extending essentially from the pouring opening towards the interface between the first portion and the second portion and essentially along the complete extension of said interface.

13. (Previously Presented) Packaging container according to claim 2, wherein the first portion of the container is formed by injection moulding of a plastic material into a mould.

14. (Previously Presented) Packaging container according to claim 13, wherein the weakening line is a portion of smaller wall thickness than surrounding portions, with an inferior wall thickness being formed by a groove on the outside of the first portion.

15. (Previously Presented) Packaging container according to claim 13, wherein the weakening line is a portion of smaller wall thickness than surrounding portions, with an inferior wall thickness being formed along the portion of the weakening line extending from the pouring opening to the interface by a groove on the inside of the first portion, and along the interface by a groove on the outside of the first portion.

16. (Previously Presented) Packaging container according to claim 2, wherein the pouring opening is shaped such that a pull tab is formed on either side of a point where the tear line intersects the edge of the pouring opening.

17. (Previously Presented) Packaging container according to claim 3, wherein the pouring opening is shaped such that a pull tab is formed on either side of a point where the tear line intersects the edge of the pouring opening

18. (Previously Presented) Packaging container according to claim 4, wherein the pouring opening is shaped such that a pull tab is formed on either side of the point where the tear line intersects the edge of the pouring opening